


01/12/2022

# Windows SMTP server



## Table des matières


1.0	Windows SMTP server.....	2
1.1	install SMTP .....	2
1.2	To one recipient.....	7
1.3	To many recipients .....	8
1.4	Joke.....	9




## 1.0 Windows SMTP server



I tried several times to do it with windows server, but it didn't work.

I decided to install H mail server


### 1.1 install SMTP









To install HMailServer, you must go on internet and type ".NET framework" once downloaded, you have to go on windows server and install the features.



for the configuration it is very simple, you have to uncheck everything except SMTP in the protocols. And in the IP range, you have to add the IP of the PC, so I went on my computer, and I opened "CMD" and used the command "ipconfig". And unchecked everything in Require SMTP authentication



## 1.2 To one recipient

We start by greeting the server with the command "HELO text" you can put what you want instead of text.


Then we continue with the command "MAIL FROM:" here, you can also put what you want.

Then we put the command "RCPT TO:". This time you have to put the correct address of the recipient.


Enter the DATA command

A very important step, you have to enter the command "FROM:" and put the email with which you want to send your email.

Then with the command "SUBJECT:" this command is used for the subject, then we do ENTER and you can write your email. Once finished you enter a dot and press ENTER and the mail is sent.



```
10.130.25.137 - PuTTY
220 WIN-PKBOGGQMJSM ESMTTP
HELO Z
250 Hello.
MAIL FROM: zotrim@gmail.com
250 OK
RCPT TO: rreplay10@gmail.com
250 OK
DATA
354 OK, send.
FROM: bill.gatess@outlook.com
TO: rreplay10@gmail.com
SUBJECT: blabla
fjkanj akjnkf
fkalkfn a
fakl na
a ak$ fa
.
250 Queued (46.719 seconds)
```







## 1.3 To many recipients

This is the same process as the previous step, except this time I added a new recipient as well, so I had to use two the command "RCPT TO:"

```
10.130.25.137 - PuTTY
220 WIN-FK80G0qM32M ESMTP
HELO server
250 Hello.
MAIL FROM: test123@gmail.com
250 OK
RCPT TO: davidbackoffice@gmail.com
250 OK
RCPT TO: rreplay10@gmail.com
503 Bad sequence of commands
RCPT TO: rreplay10@gmail.com
250 OK
DATA
354 OK, send.
FROM: test123@gmail.com
SUBJECT: Async1.3 many recipients
test test test 1 2 3
je renvoie un mail car j'ai oublié la capture d'écran pour le rendu
.
250 Queued (56.891 seconds)
```



## 1.4 Joke

I sent an email to my cousin, pretending to be "Nestle". I gave him an appointment for a job interview for the digital marketing position.

```
1019025197 - PuTTY
220 WIN-PRB069M3EM ESMTF
HELO server
250 Hello.
MAIL FROM:nestley@gmail.com
250 OK
RCPT TO:rama.loshaj2004@gmail.com
250 OK
DATA
354 OK, send.
FROM:nestley@gmail.com
SUBJECT:Candidature
Bonjour Rama Loshaj,

Nous vous remercions pour votre candidature au poste de Digital Marketing.

Après examen minutieux de votre dossier, nous sommes intéressés par votre profil
et souhaitons vous rencontrer personnellement.

Comme annoncé par téléphone, nous avons le plaisir de vous convier à un entretie
n d'embauche le 31/02/2023 à 23h59 . Veuillez vous annoncer à l'accueil à votre
arrivée.

Nous nous réjouissons de faire votre connaissance.

Avec nos meilleures salutations,

Pierre Vannay

250 Queued (29.422 seconds)
```

